

GOOSE Mesajlaşma Testi


Kategory	**tester**
Bölüm	**GOOSE Mesajlaşma Testi**
Dil	**Türkçe**
Oluşturuldu	**2026-11-04**




Şekil 1




Şekil 2



Şekil 3



Şekil 4



	GOOSE Control Reference	GOOSE ID	Config R...	MAC Address	Applicatio...	Min Repetition	Max Repetition	VLAN
0	DISPROT/LLN0GOControl_DataSet	DIS/PRO...	10001	01-0C-CD-01-00-01	2	10	2000	{4,0}

	Attribute Name	Type	Binary In	Binary In Description	Binary Out	Binary Out Description
0	DISPROT/PDIS1.Op.general	BOOLEAN	☑	Binary Input: C11	☐	


	GOOSE Control Reference	GOOSE ID	Config R...	MAC Address	Applicatio...	Min Repetition	Max Repetition	VLAN
2	DISPROT/LLN0GOControl_DataSet_1	DIS/PRO...	10001	01-0C-CD-01-00-02	3	10	2000	{4,0}

	Attribute Name	Type	Binary In	Binary In Description	Binary Out	Binary Out Description
0	DISPROT/PDIS2.Op.general	BOOLEAN	☐		☐	

	GOOSE Control Reference	GOOSE ID	Config R...	MAC Address	Applicatio...	Min Repetition	Max Repetition	VLAN
4	VEBKOCTRL/LLN0GOControl_DataSet	VEBKO/C...	10001	01-0C-CD-01-00-00	1	10	2000	{4,0}

	Attribute Name	Type	Binary In	Binary In Description	Binary Out	Binary Out Description
0	VEBKOCTRL/Q0XCBR1.Pos.stVal	Dbpos	☐		☐	

Şekil 5



Hardware Configuration

Analog Output | Binary / Analog Input | Binary Output | Extra Settin | GOOSE Setting

Import SCL | Clear SCL | Sourc

	GOOSE Control Reference	GOOSE ID	Config R...	MAC Address	Applicatio...	Min Repetition	Max Repetition	VLAN
0	DISPROT/LLN0GOControl_DataSet	DIS/PRO...	10001	01-0C-CD-01-00-01	2	10	2000	{4,0}

	Attribute Name	Type	Binary In	Binary In Description	Binary Out	Binary Out Description
0	DISPROT/PDIS1.Op.general	BOOLEAN	☑	Binary Input: C11	☐	


	GOOSE Control Reference	GOOSE ID	Config R...	MAC Address	Applicatio...	Min Repetition	Max Repetition	VLAN
2	DISPROT/LLN0GOControl_DataSet_1	DIS/PRO...	10001	01-0C-CD-01-00-02	3	10	2000	{4,0}

	Attribute Name	Type	Binary In	Binary In Description	Binary Out	Binary Out Description
0	DISPROT/PDIS2.Op.general	BOOLEAN	☑	Binary Input: C12	☐	


	GOOSE Control Reference	GOOSE ID	Config R...	MAC Address	Applicatio...	Min Repetition	Max Repetition	VLAN
4	VEBKOCTRL/LLN0GOControl_DataSet	VEBKO/C...	10001	01-0C-CD-01-00-00	1	10	2000	{4,0}

	Attribute Name	Type	Binary In	Binary In Description	Binary Out	Binary Out Description
0	VEBKOCTRL/Q0XCBR1.Pos.stVal	Dbpos	☐		☑	Binary Output: 5


Şekil 6




Şekil 7




Şekil 8




Şekil 9




Şekil 10




Şekil 11




Şekil 12




Şekil 13




Şekil 14




Şekil 15



Şekil 16



Şekil 17



Şekil 18